



Appendix

Surveillance Summaries

April 16, 2010 / 59(03);75

National Tobacco Control Program goals and corresponding key outcome indicators measured in the Adult Tobacco Survey

National Tobacco Control Program goal	Key outcome indicator*	Table number
Prevent initiation of tobacco use among youths	1.6.5: Level of support for increasing excise tax on tobacco products	Table 58
	1.6.7: Level of support for creating tobacco-free policies in schools	Table 48
	1.12.1: Amount of tobacco product excise tax	Table 58
	1.13.1: Average age at which young people first smoked a whole cigarette	Table 31
Eliminate nonsmokers' exposure to secondhand smoke	2.3.5: Proportion of the population that thinks secondhand smoke is harmful	Table 49
	2.3.7: Level of support for creating tobacco-free policies in public places and workplaces	Tables 40--42, 44--47, and 52
	2.3.10: Level of support for creating tobacco-free policies in schools	Table 48
	2.4.1: Proportion of jurisdictions with public policies for tobacco-free workplaces and other indoor and outdoor public places	Tables 42, 44, 46, and 47
	2.4.3: Proportion of the population that works in environments with tobacco-free policies	Tables 50 and 55
	2.4.4: Proportion of the population reporting voluntary tobacco-free home or vehicle policies	Tables 53 and 55
	2.6.1: Perceived compliance with tobacco free policies in workplaces	Table 51

	2.6.4: Perceived compliance with voluntary tobacco-free home or vehicle policies	Table 54
	2.7.1: Proportion of the population reporting exposure to secondhand smoke in the workplace	Table 51
	2.7.3: Proportion of the population reporting exposure to secondhand smoke at home or in vehicles	Tables 54, 56, and 57
	2.8.2: Average number of cigarettes smoked per day by smokers	Tables 25--27
	2.8.3: Smoking prevalence	Tables 2--24
Promote cessation among adults and youths	3.7.6: Proportion of worksites with a cessation program or a contract with a quitline	Table 35
	3.8.3: Proportion of smokers who intend to quit	Table 37
	3.8.4: Proportion of adult smokers who have made a quit attempt using proven cessation methods	Tables 38 and 39
	3.8.5: Level of support for increasing excise tax on tobacco products	Table 58
	3.8.6: Proportion of smokers who are aware of the cessation services available to them	Table 37
	3.9.2: Proportion of adults who have been asked by a health-care professional about smoking	Table 36
	3.9.3: Proportion of smokers who have been advised to quit smoking by a health-care professional	Table 36
	3.9.5: Proportion of the population who have been assisted in quitting smoking by a health-care professional	Table 36
	3.11.1: Proportion of adult smokers who have made a quit attempt	Table 37
	3.12.1: Amount of tobacco product excise tax	Table 58
	3.14.1: Smoking prevalence	Tables 2--24

* Starr G, Rogers T, Schooley M, Porter S, Wiesen E, Jamison N. Key outcome indicators for evaluating comprehensive tobacco control programs. Atlanta, GA: CDC; 2005. Available at http://www.cdc.gov/tobacco/tobacco_control_programs/surveillance_evaluation/key_outcome/index.htm. Accessed November 18, 2009.

Use of trade names and commercial sources is for identification only and does not imply endorsement by the U.S. Department of Health and Human Services.

References to non-CDC sites on the Internet are provided as a service to *MMWR* readers and do not constitute or imply endorsement

of these organizations or their programs by CDC or the U.S. Department of Health and Human Services. CDC is not responsible for the content of pages found at these sites. URL addresses listed in *MMWR* were current as of the date of publication.

All *MMWR* HTML versions of articles are electronic conversions from typeset documents. This conversion might result in character translation or format errors in the HTML version. Users are referred to the electronic PDF version (<http://www.cdc.gov/mmwr>) and/or the original *MMWR* paper copy for printable versions of official text, figures, and tables. An original paper copy of this issue can be obtained from the Superintendent of Documents, U.S. Government Printing Office (GPO), Washington, DC 20402-9371; telephone: (202) 512-1800. Contact GPO for current prices.

****Questions or messages regarding errors in formatting should be addressed to mmwrq@cdc.gov.**

Page last reviewed: April 16, 2010

Page last updated: April 16, 2010

Content source: [Centers for Disease Control and Prevention](#)

Centers for Disease Control and Prevention 1600 Clifton Rd. Atlanta, GA 30333, USA
800-CDC-INFO (800-232-4636) TTY: (888) 232-6348, 24 Hours/Every Day - cdcinfo@cdc.gov

